




DongGuan Emilux Lighting Technology Co.,Ltd


Mail angel@emiluxled.com

Tel +86 137 9028 5416

Add. BuildingA, No.1 GuanHuang North Road, GaoBu Town Dongguan City,
Guandong Province, China.



ULTRA-NARROW MAGNETIC TRACK SYSTEM



2025

DongGuan Emilux Lighting Technology Co.,Ltd

www.emiluxled.com

**LEADING INTERNATIONAL
ARCHITECTURAL AND
COMMERCIAL LIGHTING EXPERTS**

Select Us


The high level of appearance and comfortable space is even more attractive. can be full of science and technology, can also be warm, let you rest assured that the free collocation, it in the form of point, line, surface lighting, highlighting the sense of space and line sense of the building, so that simple lines balance the space feeling, give people more imagination.

www.emiluxled.com

COLOR

CUSTOMIZATION

Brushed gold.



Brushed silver.



Brushed copper.



Electro gilding.



Electro silvering.



Intelligent dimming color control protocol

Single light, single control



TUYAZig
Beeremote control



2.4G
remote control



TUYAZig
Beegateway



TUYA2.4G
gateway









2.4G
Thintouch switch

LET THE SPACE MORE CHOICES

MAGNETIC TRACK









TRACK

		MODEL	SIZE	POWER	USE	PAGE
	Hanging-track	UN5-C	1000*10.8*19mm 2000*10.8*19mm 3000*10.8*19mm	200W	Surface mounted or Hanging	P27
	Recessed track	UN5-D	1000*38*19mm 2000*38*19mm 3000*38*19mm	200W	Rcessed	P29
	Batch ash track	UN5-E	1000*38*19mm 2000*38*19mm 3000*38*19mm	200W	Rcessed	P31
	Circular lifting track	UN5-O	1000*22*18mm 2000*22*18mm 3000*22*18mm	200W	Hanging	P33
	Double sided lifting track	UN5-H	1000*11*33mm 2000*11*33mm 3000*11*33mm	200W	Hanging	P35
	Ceiling soft film track	UN5-RM	1000*42*38mm 2000*42*38mm 3000*42*38mm	200W	Lifting fixing	P37





ACCESSORIES

		MODEL	SIZE	POWER	USE	PAGE
	Bidirectional conductive module	UN5-RJ	240*14*5mm	200W	Type I or Angle bidirectional conductive module	P39
	Input module	UN5-SRMK	330*14*5mm	200W	The end of the line is connected to the external transformer	P39
*	*	3CCT	*	*	Wiring Method	P40




LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Hanging-trackGrille light 12 in 1	UN5-12T	216*5*14mm	6W	60°	P41
	Floodlight light	UN5-300F UN5-600F	216*5*14mm 616*5*14mm	9W 18W	120°	P42
	Grille light	UN5-LC6T UN5-LC12T UN5-LC18T	118*15*36mm 232*15*36mm 345*15*36mm	6W 12W 18W	24°	P43
	Floodlight light	UN5-LC300F UN5-LC600F UN5-LC900F	300*15*36mm 600*15*36mm 900*15*36mm	9W 18W 27W	24°	P44
	Folding light	UN5-ZD-6T UN5-ZD-12T	118*15*100mm 232*15*100mm	6W 12W	24°	P45
	Floodlight Folding light	UN5-ZD-6F UN5-ZD-12F	118*15*100mm 232*15*100mm	6W 12W	120°	P46
	Track Lights	UN5-L20 UN5-L33 UN5-L43	Ø20*60mm Ø33*60mm Ø43*60mm	3W 6W 12W	24°	P47
	Track type reading light	UN5-YDL20	Ø20*60mm	3W	24°	P48
	Surface mounted spotlights	UN5-TD50	Ø50*57mm	6W	24°	P49






LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Surface mounted spotlights9 in 1	UN5-G90	Ø95*30mm	9W	24°	P50
	Surface mounted - floodlight	UN5-WB90 UN5-WB168	Ø95*30mm Ø168*35mm	9W 18W	120°	P51
	Surface mounted - floodlight	UN5-MZ-B90 UN5-MZ-B168	Ø95*30mm Ø168*35mm	9W 18W	120°	P52 P53
	Triangle anti glare surface mounted lamp or Triangle anti glare pendant light	UN5-MZ-MD90	Ø90*72mm	6W	24°	P54 P55
	Solar eclipse Wall lamp	UN5-YSBD	Ø168*20mm	9W	150°	P56
	Frosted GlassBall	UN5-B80	Ø80*85mm	6W	150°	P57
	Track ball lamp	UN5-P95	Ø95*95mm	6W	180°	P58
	Track type -Earth(Moon)	UN5-GDD150 UN5-GDY150	Ø150*150mm	6W	350°	P59


LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Planet chandelier -Earth(Moon)	UN5-D150 UN5-Y150	Ø150*150mm	6W	350°	P60
	Hoisting-Straight cylinder	UN5-30D300	Ø30*300mm	6W	24°	P61
	Suspended spherical lamp	UN5-DP95	Ø95*95mm	6W	180°	P62
	Soft linearlamp	UN5-GJXT1000 UN5-GJXT2000 UN5-GJXT3000	1160*6*14mm 2160*6*14mm 3160*6*14mm	10W 20W 30W	120°	P63
	Stick - floodlight	UN5-SS300F UN5-SS600F UN5-SS900F	300*25*30mm 600*25*30mm 900*25*30mm	9W 18W 27W	180°	P64
	Silicone light tube	UN5-RG1000 UN5-RG2000	Ø22*1000mm Ø22*2000mm	14W 28W	360°	P65
/	Wiring Description	3CCT	/	/	/	P66







TRACK

		MODEL	SIZE	POWER	USE	PAGE
	Surface/ Hanging-Track	HS10-C	1000*21*43mm	200W	Surface mounted or Hanging	P77
			2000*21*43mm			
			3000*21*43mm			
	Embedded Concealed Track	HS10-D	1000*55*43mm	200W	Embedded concealed	P79
			2000*55*43mm			
			3000*55*43mm			
	Batch Ash Track	HS10-E	1000*55*43mm	200W	Embedded batch ash	P81
			2000*55*43mm			
			3000*55*43mm			
	Embedded Spring Fixed Track	HS10-XZB	1000*31*46mm	200W	Embedded spring fixed	P83
			2000*31*46mm			
			3000*31*46mm			
	Ceiling Soft Film Track	HS10-RM	1000*50*33mm	200W	Lifting fixing	P85
			2000*50*33mm			
			3000*50*33mm			









ACCESSORIES

		MODEL	SIZE	USE	PAGE
	Direct PowerModule	HS10-ZJ	100*10*37mm	Type I bidirectional conductive module, two straight track splicing power	P87
	Angle PowerModule	HS10-RJ	200*10*37mm	L-type Angle conduction module, two trackssplicing power	P87
	Input Module	HS10-SRMK	45*10*37mm	The end of the line isconnected to the external transformer Module connected to rail strip	P87
	48V Built-in Power Supply	HS10-100W	/	220V to 48V transformer	P88
		HS10-200W			







LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Hanging-trackGrille light 12 in 1	HS10-12T	200*10*37mm	10W	38°	P89
		HS10-24T	400*10*37mm	20W		
		HS10-36T	600*10*37mm	30W		
	Floodlight light	HS10-10F	200*10*37mm	10W	120°	P90
		HS10-20F	400*10*37mm	20W		
		HS10-30F	600*10*37mm	30W		
	90° line grille light 90° line floodlight light	HS10-12T-L	200*210*37mm	20W	38° 120°	P91
		HS10-10T-L				
	Folding Light	HS10-ZD-12T	200*10*73mm	10W	38°	P92
		HS10-ZD-24T	400*10*73mm	20W		
	Folding light	HS10-ZD-12F	200*10*73mm	10W	120°	P93
		HS10-ZD-24F	400*10*73mm	20W		
	Convex mouth spotlight	HS10-1TM	Φ25*65mm	2W	24°	P94
	Convex mouth spotlight	HS10-3TM	130*10*65mm	6W	24°	P95
	Triangle anti glare surface mounted lamp	HS10-MZ-MD90	Ø95*72mm	6W	24°	P96
	Mounted tube lamp	HS10-TD50	Ø50*57mm	6W	24°	P97






LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Surface mounted track type tube light	HS10-SF-TD50	Ø50*95mm	6W	24°	P98
	Mounted Soft Light	HS10-MZ-Z90	Ø95*40mm	9W	150°	P99
	Mounted Spotlights9 in 1	HS10-MZ-G90	Ø95*30mm	9W	24°	P100
	Mounted Floodlight	HS10-MZ-B90 HS10-MZ-B168	Ø95*30mm Ø168*35mm	9W 18W	120°	P101
	Mounted - floodlight +Anti glare net	HS10-MZ-WB90 HS10-MZ-WB168	Ø95*30mm Ø168*35mm	9W 18W	120°	P102
	Solar Eclipse Wall Lamp	HS10-YSBD	Φ168*20mm	9W	120°	P103
	Frosted GlassBall	HS10-B80	Ø80*80mm	6W	180°	P104
	Cover spherical lamp	HS10-P95	Ø95*95mm	6W	180°	P105
	Acrylic Lunar Eclipse Soft Light	HS10-100F	Ø100*100mm	6W	180°	P106


LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Glassball decorative soft light	HS10-BL150	Ø150*150mm	6W	360°	P107
	Spherical Decorative Lamp - Earth/Moon	HS10-GDD150 HS10-GDY150	Φ150*150mm	6W	360°	P108
	Track Light	HS10-L20 HS10-L33 HS10-L43	Φ20*60mm Φ33*85mm Φ43*110mm	2W 6W 12W	24°	P109
	Track Type Reading Light	HS10-YDL20	Φ20*60mm	2W	24°	P110
	Track Light	HS10-L20-2 HS10-L33-2 HS10-L43-2	Φ20*60mm Φ33*85mm Φ43*110mm	2W*2 6W*2 12W*2	24°	P111
	Track Light	HS10-N035 HS10-N045 HS10-N055 HS10-N065	Φ35*80mm Φ45*100mm Φ55*120mm Φ65*140mm	6W 12W 18W 24W	24°	P112
	Track Bowling Lamp	HS10-Q80	Φ80*120mm	12W	24°	P113
	Track type - grille spotlight	HS10-G90	Ø95*30mm	9W	24°	P114


LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Track type - soft light	HS10-Z90	Ø95*40mm	9W	150°	P115
	Track type - floodlight	HS10-B90	Ø95*30mm	9W	120°	P116
	Track type - floodlight	HS10-WB90	Ø95*30mm	9W	120°	P1171
	Focusing track light	HS10-T035N HS10-T045N HS10-T055N HS10-T065N	Φ35*80mm Φ45*100mm Φ55*120mm Φ65*140mm	6W 12W 18W 24W	15°~55°	P118
	Triangle anti glare pendant light	HS10-MD90	Ø95*72mm	6W	24°	P119
	Hoisting-Straight cylinder	HS10-30D300	Ø30*300mm	6W	24°	P120
	PC ball pendant light	HS10-DP95	Φ95*95mm	6W	180°	P121

LAMP SHOW

		MODEL	SIZE	POWER	LUMINOUS ANGLE	PAGE
	Acrylic lunar eclipse soft light pendant lamp	HS10-D100F	Φ100*100mm	6W	180°	P122
	Glassball soft light pendant lamp	HS10-DBL150	Φ150*150mm	9W	360°	P123
	Spherical pendant light - Earth/Moon	HS10-D150 HS10-Y150	Φ150*150mm	6W	360°	P124
	Stick - Floodlight	HS10-SS300F HS10-SS600F HS10-SS900F	300*25*30mm L00*25*30mm 900*25*30mm	10W 20W 30W	180°	P125
	Silicone soft light tube	HS10-RG1000 HS10-RG2000 HS10-RG3000	Φ22*1000mm Φ22*2000mm Φ22*3000mm	18W 36W 54W	360°	P126

TRACK BLUETOOTH SPEAKER

	SIZE	POWER	INSTALLATION POSITION	SIGNALFREQUENCY	PAGE
	Φ64*75mm	10W	10mm Track	12DB	P127