



ULTRA THINRAIL

MAGNETIC ATTRACTION
LED LIGHTING SYSTEM

DongGuan Emilux Lighting Technology Co.,Ltd


www.emiluxled.com

DongGuan Emilux Lighting Technology Co.,Ltd

Mail angel@emiluxled.com

Tel +86 137 9028 5416

Add. BuildingA,No.1 GuanHuang North Road,GaoBu Town Dongguan City, Guandong Province,China.




CONTENTS

www.emiluxlights.com

NEEKO SERIES







Magnetic pangrille light	P27~28
Magnetic line arlight	P29
Magnetic folding line light	P30
Magnetic floodlight	P31
Silicone light strip	P32
Track spotlight	P33
Traight tube spotlight	P34~35
Track spotlight	P36
Atmosphere light	P37
Corridor light	P38
Track downlight	P39
Track wall light	P40
Pendant light	P41

Emilux®

P5~42

P43~76

MICRO SERIES

TRACK




Ultra thin track P55 Circular surface track P56 Suspended track P57 Recess mounted track P58

LAMP SHOW



Track spotlight	P59~60
Traight tube spotlight	P61 ~ 64
Magnetic folding line light	P65 ~ 66
Magnetic line arlight	P67 ~ 68
Decorative lighting	P69 ~ 70
Track ball lamp	P71 ~ 72
Pendant light	P73 ~ 74
Accessories	P75 ~ 76





EM-MT-T45
Magnetic spotlight

NEEKO SERIES

24V/48V

5MM WIDE

Powerful lighting, flexible high magnetic lamp everything on the track, do not need multiple holes, hidden lines, and can be equipped with different lamps.

There are many light source modules of magnetic lamps, including floodlight, grille, spotlights, chandeliers, etc., which can meet a variety of space lighting, and can also freely increase or decrease the number of lamps, free movement, and free Angle adjustment.

EM-MT-F300
Magnetic floodlight

EM-MT-S25
Magnetic spotlight

EM-MT-S45

Magnetic spotlight

EM-MT-T80

Magnetic downlight

EM-MT-L300

Magnetic pangrille light













SAFETY CLIP

Safety high magnetic lamp mostly uses 24V or 48V low voltage design
There is no danger of electric shock when installing replacement lamps or touching the track directly by hand.

The lamp has a safety buckle stuck in the inner wall of the track, and the buckle will be released by turning the safety button



