



● NEW PRODUCT CATALOGUE 2025–2026

Professional lighting solutions

Commercial&Architecture Lighting

Unique and extraordinary

Elegant and generous



DongGuan Emilux Lighting Technology Co.,Ltd


Mail angel@emiluxled.com

Tel +86 137 9028 5416

Add. BuildingA, No.1 GuanHuang North Road, GaoBu Town Dongguan City,
Guandong Province, China.

LEADING INTERNATIONAL
ARCHITECTURAL AND
COMMERCIAL LIGHTING EXPERTS

Emilux® lighting



Select Us

Effective lighting plays a crucial role in the success of interior design by showcasing the designer's spatial creativity. The goal of indoor lighting design is to cater to people's visual and aesthetic needs, ensuring that the indoor space reflects both practical utility and aesthetic value. This approach aims to achieve a harmonious balance between functionality and aesthetics, optimizing the space and cultivating an artistic atmosphere. The use of decorative lighting and lamps is instrumental in enhancing the interior space, elevating its ambiance, and adding to its overall appeal.

About Emilux

Established in 2013, Dongguan Emilux Lighting Technology Co., Ltd. is situated in Dongguan Gaogao Bo Town and stands as a high-tech enterprise that integrates research and development, production, and sales. The company has incorporated advanced technology into its operations and strictly adheres to the ISO9001 quality management system standard. With a comprehensive approach to management, Emilux Lighting ensures the effective operation and coordination of all staff across every aspect and stage of the process.





The company is committed to delivering comprehensive lighting solutions and professional services. Its product range spans various sectors, including households, commercial establishments, and architectural projects. Within the domestic market, Emilux Lighting primarily serves prestigious entities such as five-star hotels, airports, shopping malls, and office buildings. The company is actively involved in projects nationwide, contributing to the lighting design of major cities, including Dalian.

Emilux Lighting is dedicated to optimizing its industrial layout, boosting brand value, fostering scientific and technological innovation, advancing intelligent manufacturing, and propelling high-quality enterprise development. With a commitment to creating aesthetically pleasing lighting environments, the company takes on the responsibility of enhancing the experiences of thousands of consumers. Through continuous development and innovation, Emilux Lighting aims to fortify China's position in the global lighting manufacturing industry.

CONTENTS

MINI SPOT LIGHTS SERIES






P25~

	MODEL	SIZE	POWER	CCT	PAGE
	ES1064	Φ40*76.5mm	7W	2700/3000/4000/5000K	P29
	ES1055				
	ES1066				
	ES1065				
	ES1068	Φ50*88.5mm	7W	2700/3000/4000/5000K	P30
	ES1067				
	ES1070				
	ES1069				
	ES1014	Φ20*71mm	3W	3000/4000/5000K	P31
	ES1015	Φ28*71mm			
	ES1016	Φ20*62mm	3W	3000/4000/5000K	P31
	ES1017	Φ29*62mm			
	ES1022	Φ53*66mm	9W	3000/4000/5000K	P32
	ES1023	Φ70*66mm			
	ES1037	Φ63*66mm			
	ES1038	Φ80*66mm			
	ES1022-1	Φ53*66mm	9W	3000/4000/5000K	P33
	ES1023-1	Φ70*66mm			
	ES1037-1	Φ63*66mm			
	ES1038-1	Φ80*66mm			
	ES1039	Φ53*66mm	9W	2700/3000/4000/5000K	P34
	ES1039-1	Φ53*66mm			
	ES1040	Φ70*66mm			
	ES1040-1	Φ70*66mm			
	ES1118	Φ42*40mm	5W~7W	2700/3000/4000K	P35
	ES1119	Φ52*60mm			
	ES1120	Φ70*40mm			
	ES1121	Φ30*105mm			
	ES1118T	Φ42*40mm	5W~7W	2700/3000/4000K	P36
	ES1119T	Φ52*60mm			
	ES1120T	Φ70*40mm			
	ES1121T	Φ30*105mm			
	ES1123	Φ40*75mm	5W	2700/3000/4000/5000K	P37
	ES1123-1	Φ40*75mm	7W		
	ES1124	Φ50*80mm			
	ES1124-1	Φ50*80mm			
	ES1122	Φ50*55mm	3W	3000/4000K	P38


CONTENTS

SPYDER SERIES

P39~

	MODEL	SIZE	POWER	CCT	PAGE
	ES2044	85*85*42mm	6W;8W	2700/3000/4000/5000K	P42
	ES2045	170*85*42mm	6W*2;8W*2		
	ES2048	100*100*72mm	10W;12W	2700/3000/4000/5000K	P42
	ES2010	Φ85*42mm	6W;8W	2700/3000/4000/5000K	P43
	ES2011	Φ85*52mm	10W;12W		
	ES2014	Φ95*48mm	10W;12W		
	ES2012	Φ85*42mm	6W;8W	2700/3000/4000/5000K	P44
	ES2013	Φ85*52mm	10W;12W		
	ES2015	Φ95*52mm	10W;12W		
	ES2016	Φ68*44mm	6W;8W	2700/3000/4000/5000K	P45
	ES2017	Φ68*54mm	10W;12W		
	ES2028	Φ85*50mm	6W;8W;10W;12W		
	ES2037	Φ95*52mm	10W;12W		
	ES2018	Φ68*48mm	6W;8W	2700/3000/4000/5000K	P46
	ES2019	Φ68*58mm	10W;12W		
	ES2029	Φ85*55mm	6W;8W;10W;12W		
	ES2035	Φ95*58mm	10W;12W		
	ES2020	Φ68*52mm	6W;8W	2700/3000/4000/5000K	P47
	ES2021	Φ68*62mm	10W;12W		
	ES2030	Φ85*60mm	6W;8W;10W;12W		
	ES2036	Φ95*62mm	10W;12W		
	ES2022	Φ68*44mm	6W;8W	2700/3000/4000/5000K	P49
	ES2023	Φ68*54mm	10W;12W		
	ES2031	Φ85*50mm	6W;8W;10W;12W		
	ES2034	Φ95*52mm	10W;12W		
	ES2024	Φ68*48mm	6W;8W	2700/3000/4000/5000K	P50
	ES2025	Φ68*58mm	10W;12W		
	ES2032	Φ85*55mm	6W;8W;10W;12W		
	ES2038	Φ95*58mm	10W;12W		
	ES2026	Φ68*52mm	6W;8W	2700/3000/4000/5000K	P51
	ES2027	Φ68*62mm	10W;12W		
	ES2033	Φ85*60mm	6W;8W;10W;12W		
	ES2039	Φ95*62mm	10W;12W		
	ES2040	Φ85*67mm	10W;12W	2700/3000/4000/5000K	P53
	ES2041	Φ85*67mm	10W;12W		
	ES2008	Φ80*43mm	10W ~ 12W		



CONTENTS

	MODEL	SIZE	POWER	CCT	PAGE
	ES2043	Φ68*44mm	5W	2700/3000/4000/5000K	P58
	ES2009	Φ95*52mm	10W		
	ES2042	Φ68*54mm	12W		

DESERT BEAM SERIES NEW P59~

	MODEL	SIZE	POWER	CCT	PAGE
	ES2001	Φ75*70mm	10W	2700/3000/4000/5000K	P60
	ES2002	Φ90*75mm	12W		
	ES2003	75*75*70mm	10W	2700/3000/4000/5000K	P60
	ES2004	90*90*75mm	12W		

TRIOFORM SERIES NEW P61~

	MODEL	SIZE	POWER	CCT	PAGE
	ES2051	85*85*75mm	15W	2700/3000/4000/5000K	P63
	ES2052	Φ85*75mm			
	ES2053	Φ110*75mm			
	ES2051-1	85*85*75mm	15W	2700/3000/4000/5000K	P64
	ES2052-1	Φ85*75mm			
	ES2053-1	Φ110*75mm			

AURASPACE SERIES NEW P65~


	MODEL	SIZE	POWER	CCT	PAGE
	ES2005	82*82*71mm	7W ~ 12W	2700/3000/4000/5000K	P66
	ES2005-1				
	ES2006	Φ82*71mm			
	ES2006-1				

CONTENTS


OPTI-SHIELD SERIES NEW P67~

	MODEL	SIZE	POWER	CCT	PAGE
	ES2007	Φ85*70mm	10W	2700/3000/4000/5000K	P68
	ES2007-1		12W		



AQUALITE SERIES NEW P69~

	MODEL	SIZE	POWER	CCT	PAGE
	ES2049	Φ80*60mm	5W~9W	2700/3000/3500/4000/5000K	P70

MEGA SERIES NEW P71~

	MODEL	SIZE	POWER	CCT	PAGE
	ES3001	Φ75*64mm	6W;10W;15W	2700/3000/4000/5000K	P73
	ES3002	Φ75*58mm			
	ES3003	Φ75*64mm			
	ES3004	Φ102*60mm	6W;10W;15W	2700/3000/4000/5000K	P76
	ES3005	Φ132*66mm			
	ES3006	Φ95*61mm	12W		
	ES3007	Φ95*56mm			
	ES3008	Φ102*61mm			

LUMATONE SERIES NEW P81~

	MODEL	SIZE	POWER	CCT	PAGE
	ES4001	Φ83*78mm	8W;10W;12W 10W	2700/3000/4000/5000K	P83
	ES4002	Φ85*75mm			
	ES4003	Φ83*60mm	10W ~ 12W	2700/3000/4000/5000K	P84
	ES4004	Φ120*75mm			
	ES4005	130*82.5*75mm			
	ES4006	Φ120*60			

CONTENTS



SNAPLUX SERIES NEW

P85~

	MODEL	SIZE	POWER	CCT	PAGE
	ES5001	Φ85*80mm	8W	2700/3000/4000K	P90
			10W	2700/3000/4000K	
			15W	2700/3000/4000/5000K	

STAR SERIES

P91~

	MODEL	SIZE	POWER	CCT	PAGE
	ES5008-1	Φ83*92mm	10W~15W	2700~6500K	P94
	ES5008-2				
	ES5002	Φ62*89mm	6W~8W	2700~6500K	P95
	ES5008	Φ83*92mm	10W~15W		
	ES5014	Φ105*124.5mm	20W~24W		
	ES5003	Φ70*89mm	6W~8W	2700~6500K	P96
	ES5009	Φ95*92mm	10W~15W		
	ES5015	Φ120*124.5mm	20W~24W		
	ES5004	62*62*89mm	6W~8W	2700~6500K	P97
	ES5010	82*82*92mm	10W~15W		
	ES5016	102.5*102.5*124.5mm	20W~24W		
	ES5005	70*70*89mm	6W~8W	2700~6500K	P98
	ES5011	98*98*92mm	10W~15W		
	ES5017	120*120*124.5mm	20W~24W		
	ES5006	115.5*62*89mm	2*6W~8W	2700~6500K	P99
	ES5012	158*86*92mm	2*10W~15W		
	ES5018	197.5*106.5*124.5mm	2*20W~24W		
	ES5007	164.5*52*89mm	2*6W~8W	2700~6500K	P100
	ES5013	204.5*72*92mm	2*10W~15W		
	ES5019	241.5*90.5*124.5mm	2*20W~24W		

CONTENTS



VIVIDMIRROR SERIES NEW

P101~

	MODEL	SIZE	POWER	CCT	PAGE
	ES5020	Φ62*79mm	9W	2700 ~ 6500K	P104
	ES5021	Φ83*79mm	13W		
	ES5022	Φ84.5*79mm	9W	2700 ~ 6500K	P104
	ES5023	Φ108*78mm	13W		

LUMAEDGE SERIES

P105~

	MODEL	SIZE	POWER	CCT	PAGE
	ES6001	Φ60*85mm	9W	2700/3000/4000/5000K	P111
	ES6001-1				
	ES6002	Φ86*85mm	9W	2700/3000/4000/5000K	P111
	ES6003	68*68*86.5mm	9W	2700/3000/4000/5000K	P112
	ES6004	135*68*86.5mm	2*9W		
	ES6005	200*68*86.5mm	3*9W		
	ES6006	138*60*86.5mm	9W	2700/3000/4000/5000K	P113
	ES6007	205*60*86.5mm	2*9W		
	ES6008	270*60*86.5mm	3*9W		
	ES6009	Φ82*85mm	13W	2700/3000/4000/5000K	P114
	ES6010				
	ES6011	Φ133*85mm	13W	2700/3000/4000/5000K	P114
	ES6012	85*85*86.5mm	13W	2700/3000/4000/5000K	P115
	ES6013	160*85*86.5mm	2*13W		
	ES6014	130*85*86.5mm	13W	2700/3000/4000/5000K	P115
	ES6015	205*85*86.5mm	2*13W		
	ES6016	Φ105*110mm	25W	2700/3000/4000/5000K	P116
	ES6017	Φ128*115mm	25W	2700/3000/4000/5000K	P116

CONTENTS

THE AIGE SERIES

P117~

	MODEL	SIZE	POWER	CCT	PAGE
	ES6018	Φ82*83.5mm	7W(SMD);12W(COB)	2700~6500K	P123
	ES6018-1		15W(COB)		
	ES6019	Φ82*80mm	7W(SMD);12W(COB)	2700~6500K	P124
	ES6019-1		21W(COB)		
	ES6020	Φ82*84.5mm	12W(COB)	2700~6500K	P124
	ES6020-1	Φ82*60mm	7W(COB)	2700~6500K	P125
	ES6021	Φ82*90mm	15W(COB)	2700~6500K	P125
	ES6021-1	Φ82*93.5mm	18W(COB)		

LED DOWNLIGHT MODULE SERIES NEW




P127~

	MODEL	SIZE	POWER	CCT	PAGE
	ES7001	Φ49.8*40mm	8W	2700/3000/4000/5000K	P131
	ES7002	Φ49.8*48mm			
	ES7003	Φ49.8*45mm			
	ES7004	Φ49.8*62mm	15W	2700/3000/4000/5000K	P132
	ES7005	Φ49.8*75mm			
	ES7006	Φ49.8*70mm			
	ES7016	Φ49.8*55mm	5W~9W	2700/3000/4000/5000K	P134
	ES7017	Φ49.8*54.7mm	12W~15W		
	ES7012	Φ82*85mm	15W	2700/3000/4000/5000K	P142
	ES7013				
	ES7014				
	ES7015				

CONTENTS


MAGSENSE SERIES

P145~

	MODEL	SIZE	POWER	CCT	PAGE
	ES8003	Φ85*44mm	6W	2700-3000-4000-5700K	P148
	ES8006	Φ85*32mm	5W ~ 7W	2700-3000-4000-5700K	P149
	ES8007	Φ87*39mm			
	ES8008	Φ90*34mm			
	ES8009	Φ89*68mm			
	ES8010	Φ55*38mm	4W	2700-3000-4000-5700K	P150
	ES8011	Φ75*30mm	5W	2700-3000-4000 3000-4000-5700K	P150
	ES8012	Φ87*50mm	4W;6W;8W	2700-3000-4000-5700K	P150
	ES8013	Φ88*65mm	8W	2700-3000-4000 3000-4000-5700K	P150

FLEXGLOW SERIES

P151~

	MODEL	SIZE	POWER	CCT	PAGE
	ES8001	Φ86*38mm	4W;6W;8W	2700-3000-4000-5700K	P152
	ES8002				
	ES8004	Φ90*51mm	5W~8W	2700-3000-4000-5700K	P152
	ES8005	Φ90*54mm	4W;6W;8W		

AURORA SERIES NEW

P153~

	MODEL	SIZE	POWER	CCT	PAGE
	ES9011	Φ82*28mm	6W	2700/3000/4000K	P154
				1800 ~ 3000K 2700 ~ 6500K	

CONTENTS

STARDIAN SERIES NEW

P155~

	MODEL	SIZE	POWER	CCT	PAGE
	ES9001	Φ62*79mm	5W~9W	2700/3000/3500/4000/5000K	P156
	ES9002	Φ82*80mm	10W~12W		
	ES9003	Φ82*100mm	15W~18W		


HIGH PERFORMANCE SERIES

P157~

	MODEL	SIZE	POWER	CCT	PAGE
	ES9004	Φ72*75mm	10W	2700/3000/4000/5000K	P159
	ES9005	Φ78*80mm	12W		
	ES9006	Φ82*85mm	15W		
	ES9007	Φ103*100mm	20W		
	ES9008	Φ108*110mm	25W		
	ES9009	Φ120*120mm	35W		
	ES9010	Φ130*130mm	45W		

PREMIUM SERIES IP65



P161~

	MODEL	SIZE	POWER	CCT	PAGE
	ED2001	Φ80*48mm	9W	2700/3000/4000/5000K	P165
	ED2002	Φ115*60mm	15W		
	ED2003	Φ160*75mm	20W		
	ED2004	Φ218*98mm	40W		
	ED2005	Φ215*108mm	60W		
	ED2001-1	Φ100*95mm	9W	2700/3000/4000/5000K	P167
	ED2002-1	Φ120*95mm	15W		
	ED2003-1	Φ164*115mm	20W		
	ED2004-1	Φ215*98mm	40W		
	ED2005-1	Φ215*108mm	60W		
	ED1006	Φ115*60mm	15W	3000/4000/5000K	P171
	ED1007	Φ136*70mm	25W		
	ED1008	Φ162*80mm	35W		
	ED1009	Φ195*95mm	40W		
	ED1010	Φ220*102mm	50W		

CONTENTS


SMD DOWNLIGHT SERIES

P173~

	MODEL	SIZE	POWER	CCT	PAGE
	ED2006	Φ90*48mm	7W	3000/4000/5700K	P177
	ED2007	Φ120*53mm	10W		
	ED2008	Φ160*56mm	15W		
	ED2009	Φ220*58mm	24W		
	ED2010	Φ220*58mm	36W		
	ED2011	Φ190*75mm	15W;20W;30W	2700-3000-4000 3000-4000-5700K	P181
	ED2012	Φ230*90mm			
	ED2013	Φ285*110mm			
	ED2014	Φ305*110mm			
	ED2015	Φ190*120mm	40W;50W;60W	2700-3000-4000 3000-4000-5700K	P182
	ED2016	Φ230*136mm			
	ED2017	Φ285*155mm			
	ED2018	Φ305*155mm			
	ED2001	Φ64*33mm	5W	3000/4000/6000K	P183
	ED2002	Φ83*45mm	7W		
	ED2003	Φ105*53mm	12W		
	ED2004	Φ128*66mm	18W		
	ED2005	Φ175*74mm	24W		



ASTRAFLARE SERIES NEW

P185~

	MODEL	SIZE	POWER	CCT	PAGE
	ED3001	108*32mm	6W;8W	2700/3000/4000K	P186
	ED3001-1	108*36mm	10W;12W		
	ED3002	108*32mm	6W;8W		
	ED3002-1	108*36mm	10W;12W		

FLEXLITE SERIES NEW

P187~

	MODEL	SIZE	POWER	CCT	PAGE
	ED4001	Φ170*55mm	16W	2700/3000/4000K	P189
	ED4002	Φ220*65mm	26W		
	ED4003	Φ176*65mm	10W;12W;15W	2700/3000/4000K	P190
	ED4004	Φ225*80mm	25W;30W;35W		

CONTENTS

ROUNDGLOW SERIES NEW P191~

	MODEL	SIZE	POWER	CCT	PAGE
	EC1001	Φ55*55mm	6W	2700/3000/4000/5000K	P192



EDGEBOX SERIES NEW P193~

	MODEL	SIZE	POWER	CCT	PAGE
	EC2001	74*74*90mm	15W	2700/3000/4000/5000K	P196
	EC2002	92*92*100mm	25W		
	EC2003	113*113*120mm	35W		
	EC2004	130*130*140mm	45W		

HALOLITE SERIES NEW P197~


	MODEL	SIZE	POWER	CCT	PAGE
	EC2005	220*53mm	18W	3000/4000/5000K	P199
	EC2007	280*53mm	24W		
	EC2009	330*53mm	36W		
	EC2006	220*220*53mm	18W	3000/4000/5000K	P200
	EC2008	280*280*53mm	24W		
	EC2010	330*330*53mm	36W		
	EC2011	Φ120*40mm	4W;6W;8W	2700/3000/4000/5700K	P201
	EC2012	Φ170*40mm	9W;12W;15W		
	EC2013	Φ225*40mm	18W;21W;24W		
	EC2014	Φ280*48mm	13W;18W;24W	2700-3000-4000/ 3000-4000-5700K	P202
	EC2015				
	EC2016				

VARIO SPOT SERIES NEW P203~


	MODEL	SIZE	POWER	CCT	PAGE
	ET1001	Φ65*40*200mm	15W	2700/3000/4000/K	P204
	ET1003	Φ45*115mm	9W	2700K	P204

CONTENTS

OPTIMO TION SERIES NEW P205~

	MODEL	SIZE	POWER	CCT	PAGE
	ET1002	Φ58*115mm	14W	2700/3000/4000/5000K	P206

GUIDE FOCUSING SERIES P207~

	MODEL	SIZE	POWER	CCT	PAGE
	ET2021	Φ68*140mm	20W	2700/3000/3500/4000K	P210
	ET2022	Φ80*162mm	25W		
	ET2022-1	Φ80*162mm	30W		
	ET2002	Φ68*140mm	15W	2700/3000/4000/5000K	P211
	ET2003	Φ80*155mm	20W		
	ET2004	Φ80*162mm	30W		
	ET2005	Φ80*162mm	35W		




ZOOMABLE TRACK SPOT LIGHTS SERIES NEW P213~

	MODEL	SIZE	POWER	CCT	PAGE
	ET3005S	Φ72*171mm	15W	2700/3000/4000/5000K	P217
	ET3006S	Φ72*171mm	20W		
	ET3007S	Φ80*175mm	30W		
	ET3008S	Φ80*175mm	35W		
	ET3005CCT	Φ72*171mm	15W	1800~4000K	P218
	ET3006CCT	Φ72*171mm	20W	3000~4000K	
	ET3007CCT	Φ80*175mm	30W	2700~6500K	
	ET3008CCT	Φ80*175mm	35W		

CONTENTS


GUIDE FOCUSING SERIES

P219~





	MODEL	SIZE	POWER	CCT	PAGE
	ET4001	Φ50*135mm	8W	3000/4000K	P221
	ET4002	Φ50*160mm	12W		
	ET4003	Φ60*163mm	15W		
	ET4004	Φ45*120mm	10W	3000/4000K	P223
	ET4005	Φ55*145mm	20W		
	ET4007	Φ65*165mm	30W		
	ET4008	Φ75*180mm	40W		
	ET4009	Φ67*165mm	20W	3000/4000K	P224
	ET4010	Φ80*195mm	30W		
	ET4011	Φ95*103mm	40W		
	ET4012	Φ50*120mm	10W	3000/4000/5000K	P225
	ET4014	Φ60*155mm	20W		
	ET4016	Φ66*155mm	25W		
	ET4013	Φ50*120mm	10W	2700 ~ 4000 ~ 5000K	P226
	ET4015	Φ60*155mm	20W		
	ET4017	Φ66*155mm	25W		
	ET4018	Φ58*152mm	15W	3000/4000K	P227
	ET4019	Φ74*183mm	25W		
	ET4020	Φ85*203mm	35W		
	ET4021	Φ40*117mm	10W	2700/3000/4000/5000K	P228
	ET4022	Φ60*150mm	20W		
	ET4023	Φ70*165mm	30W		

MUZIMUM TRACK SPOT LIGHTS SERIES NEW

P229~




	MODEL	SIZE	POWER	CCT	PAGE
	ET5001	115*131*60mm	7W	2300/2700/3000/4000/5000/6000K	P234
	ET5002	125*138*60mm	10W		
	ET5003	153.5*156*70mm	20W		
	ET5004	191*177*90mm	30W		
	ET5005	215*197*110mm	40W		

CONTENTS


	MODEL	SIZE	POWER	CCT	PAGE	
	ET5006	105*217.8*83.7mm	25W	2700 ~ 6000K	P237	
	ET5006-1		35W			
	ET5007	150*252mm	20W	2700/3000/3500/4000K	P238	
	ET5008		30W			
	ET5009	150*252mm	20W	2700 ~ 6000K	P239	
	ET5010		30W			
	ET5011	168*205mm	20W	2700/3000/3500/4000K	P240	
	ET5012		30W			
	ET5013		45W			
	ET5014	172*245mm	20W	2700 ~ 6000K	P241	
	ET5015		30W			
	ET5016		40W			
	ET5017	155*245mm	12W	2700/3000/3500/4000K	P242	
	ET5018		20W	2700 ~ 6000K		
	ET5019					
	ET5020	210*255mm	20W	2700/3000/3500/4000K	P243	
	ET5021		30W			
	ET5022		45W			
	ET5023	210*268mm	20W	2700 ~ 6000K	P244	
	ET5024		30W			
	ET5025		40W			

REMOTE BEAM SERIES

P245~

	MODEL	CUTOUT	POWER	CCT	PAGE
	ET6001	Φ180mm	20W	2700 ~ 6000K	P248
	ET6002		30W		
	ET6003	Φ180mm	20W	2700/3000/3500/4000K	P249
	ET6004		30W		
	ET6005	Φ150mm	12W	2700/3000/3500/4000K	P250
	ET6006		20W		
	ET6007	Φ130mm	12W	2700/3000/3500/4000K	P251
	ET6008		20W		
	ET6009	Φ205mm	45W	2700/3000/3500/4000K	P252
	ET6010			2700 ~ 6000K	

CONTENTS

	MODEL	SIZE	POWER	CCT	PAGE
	ET6011	Φ150mm	12W	2700/3000/3500/4000K	P253
	ET6012		20W		
	ET6013	Φ130mm	12W	2700/3000/3500/4000K	P254
	ET6014		20W		


CLASSA SERIES

P255~

	MODEL	SIZE	POWER	CCT	PAGE
	ELD1023	46*46*52mm	3W	3000/4000/5000K	P257
	ELD1024	69*46*52mm	2*2W		
	ELD1025	96*46*52mm	3*2W		
	ELD1026	76*76*52mm	4*2W	3000/4000/5000K	P258
	ELD1027	148*46*52mm	5*2W		
	ELD1028	106*106*52mm	9*2W		
	ELD1029	285*46*52mm	10*2W	3000/4000/5000K	P259
	ELD1030	417*46*52mm	15*2W		
	ELD1074	61.9*61.9*55mm	5W	3000/4000/5000K	P260
	ELD1075	152.4*62.4*55mm	15W		
	ELD1076	287.4*62.4*55mm	30W		
	ELD1085	85.6*53*60.3mm	15W	3000/4000/5000K	P261
	ELD1086	142.8*85.6*60.3mm	30W		
	ELD1087	278.2*85.6*60.3mm	30W		

AQUAGLOW SERIES NEW

P263~

	MODEL	SIZE	POWER	PAGE
	EML1001/2/3	400*120*120mm;600*120*120mm;800*120*120mm	12W;16W;24W	P265
	EML1004/5/6	400*105*40mm;600*105*40mm;900*105*40mm	6W;12W;16W	
	EML1005/8/9	410*220*50mm;610*220*50mm;810*220*50mm	8W;12W	
	EML1010/11/12	400*160*75mm;500*160*75mm;600*220*50mm	6W;8W;12W	
	EML1013/14	620*50*150mm;830*50*150mm	12W;20W	P266
	EML1015	530*145*40mm	8W	
	EML1016/17/18	420*60*40mm;665*60*40mm;965*60*40mm	12W;18W;24W	
	EML1019	704*80*130mm;960*80*130mm	24W;36W	



mini spot lights

The overall shape is small, the minimum opening size is only 3.5CM, and the miniaturized lamps realize better dot matrix effect for the space without main lamp



Application

mini prducts can meet the solutions of different scenarios such as home spaces,art spaces,shopping malls, brand stores, office spaces,restaurants, bars, and hotel clubs



A VARIETY OF COLOR REFLECTIVE CUP OPTIONS

SNAPLUX SERIES

ENGINEERING-GRADE,
QUICK-MOUNT LIGHTING
SOLUTIONS FOR PROFESSIONAL
INSTALLATIONS

UGR
< 13

High Efficacy
>120lm/w

8°

Magnetic Design • Precise Beam • Ideal for Premium Spaces

Integrated anti-glare optics and magnetic reflectors
for quick accessory changes. Delivers both consistent
lighting and visual comfort.



Integrated Waterproof Structure, Versatile Lighting for Any Space


IP65-rated for dust and water resistance. Perfect for
bathrooms, balconies, kitchens, and other damp
environments.

Modular Quick-Release System for Efficient Installation


Supports fast disassembly and optical upgrades,
saving time and labor. Ideal for large-scale installations
and frequent-maintenance environments.

customized color






**MULTIPLE COLOR
OPTIONS TO MATCH
YOUR PERSONAL STYLE.**




ITEM NO:ES5020

Wattage	9W
Type	Embedded
Efficacy	50-60lm/w
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ55mm
Size	Φ62*79mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°




ITEM NO:ES5021

Wattage	13W
Type	Embedded
Efficacy	50-60lm/w
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ75mm
Size	Φ83*79mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°



ITEM NO:ES5022

Wattage	9W
Type	Trimless recessed
Efficacy	50-60lm/w
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ55mm
Size	Φ84.5*79mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°



ITEM NO:ES5023

Wattage	13W
Type	Trimless recessed
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ75mm
Size	Φ108*78mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°


Feature



ULTRA-THIN DESIGN




SPLIT STRUCTURE





DUAL LIGHT SOURCE CCT+RGB


SPLIT STRUCTURE



NEW

WHIRLWIND + ARROWHEAD PATTERN COMBINATION DESIGN

Wide range of design variants for a variety of applications



SPLIT STRUCTURE




MODULAR DESIGN WITH DIVERSE FACE RINGS, SHAPING PREMIUM LIGHTING AESTHETICS FREELY.



NEW


LIGHT YOUR WAY WITH VARIOUS ANGLES



ITEM NO:ES7016

LENS

Wattage	5~9W
CCT	2700/3000/4000/5000K
Input Voltage	AC220-240V
Efficacy	80lm/w
CRI	≥90
Cutout	Φ43.6mm
Size	Φ49.8*55mm
Beam Angle	15°/24°/36°/50°



ITEM NO:ES7017

LENS

Wattage	12~15W
CCT	2700/3000/4000/5000K
Input Voltage	AC220-240V
Efficacy	80lm/w
CRI	≥90
Cutout	Φ63mm
Size	Φ49.8*54.7mm
Beam Angle	15°/24°/36°/50°

Light Distribution for 3000K

Narrow 15°

H(m)	E(lx)	Ø(m)
1	1972	0.27
2	492.9	0.54
3	219.1	0.82
4	123.2	1.09
5	78.87	1.36

medium 24°

H(m)	E(lx)	Ø(m)
1	2268	0.49
2	567.1	0.98
3	252.0	1.48
4	141.8	1.97
5	90.73	2.46


Wide 36°

H(m)	E(lx)	Ø(m)
1	1516	0.60
2	379.1	1.21
3	168.5	1.81
4	102.9	2.42
5	60.65	3.02

Feature



CONFIGURATION ON DEMAND



MODULE HEATSINK

FX-75 FIXED RING

75 ADJUSTABLERING

75 HR ADJUSTABLERING (PC)

75 HR ADJUSTABLERING (Aluminum)

ES7001 8W	ES7002 8W	ES7003 8W	ES7004 15W	ES7016 5~9W	ES7017 12~15W
3LC00152	3LC00153				
3LC00154	3LC00156	3LC00158			
3LC00155	3LC00157	3LC00159			
3LC00160	3LC00162	3LC00164			
3LC00161	3LC00163	3LC00165			
3LC00160	3LC00162	3LC00164			
3LC00161	3LC00163	3LC00165			

Multiple power options available to precisely match various application needs, easily adapting to diverse lighting scenarios.

9W/15W/20W/40W/60W

IP66

Waterproof&Antiglare cob downlights

CAYENNE SERIES

DELIVERING PRECISION LIGHTING WITH ADJUSTABLE BEAM,
TUNABLE COLOR, AND TIMELESS DESIGN — BUILT FOR FLEXIBILITY,
PERFORMANCE, AND LASTING QUALITY.

PRECISION CONTROL,
PROFESSIONAL LIGHTING

0-10V dimming for precise brightness control and
effortless ambience.



GUIDE
FOCUSING
SERIES

CERTIFICATIONS



125
lm/w

ZOOMMABLE 15°~50°

Free zoom lighting, versatile for
every space.



DIMMABLE

A lamp controls the rhythm of
morning and evening

CCT CHANGEABLE



3000-4000k
2700-3000k-4000k
3000-4000k-5000k



Color temperature can be
adjusted via DIP switch.

UGR
< 19

High Efficacy
>125lm/w

5 years

IP20



LED DIMMING, COLOR ADJUSTMENT, STEPLESS FOCUSING

■ Perfect Lighting for Art and Exhibitions

Illuminate art and history with precision. Our adjustable zoom track lights offer flexible beam angles, seamless dimming, and precise color control—creating the perfect ambiance for museums, galleries, and exhibitions. Every detail shines, allowing visitors to experience collections in their full brilliance.

