



● NEW PRODUCT CATALOGUE  
2025–2026

---

Professional lighting solutions

Commercial&Architecture Lighting

Unique and extraordinary

Elegant and generous



DongGuan Emilux Lighting Technology Co.,Ltd


Mail [angel@emiluxled.com](mailto:angel@emiluxled.com)

Tel +86 137 9028 5416

Add. BuildingA, No.1 GuanHuang North Road, GaoBu Town Dongguan City,  
Guandong Province, China.

LEADING INTERNATIONAL  
ARCHITECTURAL AND  
COMMERCIAL LIGHTING EXPERTS

Emilux® lighting



# Select Us

Effective lighting plays a crucial role in the success of interior design by showcasing the designer's spatial creativity. The goal of indoor lighting design is to cater to people's visual and aesthetic needs, ensuring that the indoor space reflects both practical utility and aesthetic value. This approach aims to achieve a harmonious balance between functionality and aesthetics, optimizing the space and cultivating an artistic atmosphere. The use of decorative lighting and lamps is instrumental in enhancing the interior space, elevating its ambiance, and adding to its overall appeal.

# About Emilux

Established in 2013, Dongguan Emilux Lighting Technology Co., Ltd. is situated in Dongguan Gaogao Bo Town and stands as a high-tech enterprise that integrates research and development, production, and sales. The company has incorporated advanced technology into its operations and strictly adheres to the ISO9001 quality management system standard. With a comprehensive approach to management, Emilux Lighting ensures the effective operation and coordination of all staff across every aspect and stage of the process.

The company is committed to delivering comprehensive lighting solutions and professional services. Its product range spans various sectors, including households, commercial establishments, and architectural projects. Within the domestic market, Emilux Lighting primarily serves prestigious entities such as five-star hotels, airports, shopping malls, and office buildings. The company is actively involved in projects nationwide, contributing to the lighting design of major cities, including Dalian.

Emilux Lighting is dedicated to optimizing its industrial layout, boosting brand value, fostering scientific and technological innovation, advancing intelligent manufacturing, and propelling high-quality enterprise development. With a commitment to creating aesthetically pleasing lighting environments, the company takes on the responsibility of enhancing the experiences of thousands of consumers. Through continuous development and innovation, Emilux Lighting aims to fortify China's position in the global lighting manufacturing industry.

# CONTENTS

## MINI SPOT LIGHTS SERIES

P25~

	MODEL	SIZE	POWER	CCT	PAGE
	ES1064 ES1055 ES1066 ES1065	Φ40*76.5mm	7W	2700/3000/4000/5000K	P29
	ES1068 ES1067 ES1070 ES1069	Φ50*88.5mm	7W	2700/3000/4000/5000K	P30
	ES1014 ES1015	Φ20*71mm Φ28*71mm	3W	3000/4000/5000K	P31
	ES1016 ES1017	Φ20*62mm Φ29*62mm	3W	3000/4000/5000K	P31
	ES1022 ES1023 ES1037 ES1038	Φ53*66mm Φ70*66mm Φ63*66mm Φ80*66mm	9W	3000/4000/5000K	P32
	ES1022-1 ES1023-1 ES1037-1 ES1038-1	Φ53*66mm Φ70*66mm Φ63*66mm Φ80*66mm	9W	3000/4000/5000K	P33
	ES1039 ES1039-1 ES1040 ES1040-1	Φ53*66mm Φ53*66mm Φ70*66mm Φ70*66mm	9W	2700/3000/4000/5000K	P34
	ES1118 ES1119 ES1120 ES1121	Φ42*40mm Φ52*60mm Φ70*40mm Φ30*105mm	5W~7W	2700/3000/4000K	P35
	ES1118T ES1119T ES1120T ES1121T	Φ42*40mm Φ52*60mm Φ70*40mm Φ30*105mm	5W~7W	2700/3000/4000K	P36
	ES1123 ES1123-1 ES1124 ES1124-1	Φ40*75mm Φ40*75mm Φ50*80mm Φ50*80mm	5W 7W	2700/3000/4000/5000K	P37
	ES1122	Φ50*55mm	3W	3000/4000K	P38

# CONTENTS

## SPYDER SERIES

P39~

	MODEL	SIZE	POWER	CCT	PAGE
	ES2044 ES2045	85*85*42mm 170*85*42mm	6W;8W 6W*2;8W*2	2700/3000/4000/5000K	P42
	ES2048	100*100*72mm	10W;12W	2700/3000/4000/5000K	P42
	ES2010 ES2011 ES2014	Φ85*42mm Φ85*52mm Φ95*48mm	6W;8W 10W;12W 10W;12W	2700/3000/4000/5000K	P43
	ES2012 ES2013 ES2015	Φ85*42mm Φ85*52mm Φ95*52mm	6W;8W 10W;12W 10W;12W	2700/3000/4000/5000K	P44
	ES2016 ES2017 ES2028 ES2037	Φ68*44mm Φ68*54mm Φ85*50mm Φ95*52mm	6W;8W 10W;12W 6W;8W;10W;12W 10W;12W	2700/3000/4000/5000K	P45
	ES2018 ES2019 ES2029 ES2035	Φ68*48mm Φ68*58mm Φ85*55mm Φ95*58mm	6W;8W 10W;12W 6W;8W;10W;12W 10W;12W	2700/3000/4000/5000K	P46
	ES2020 ES2021 ES2030 ES2036	Φ68*52mm Φ68*62mm Φ85*60mm Φ95*62mm	6W;8W 10W;12W 6W;8W;10W;12W 10W;12W	2700/3000/4000/5000K	P47
	ES2022 ES2023 ES2031 ES2034	Φ68*44mm Φ68*54mm Φ85*50mm Φ95*52mm	6W;8W 10W;12W 6W;8W;10W;12W 10W;12W	2700/3000/4000/5000K	P49
	ES2024 ES2025 ES2032 ES2038	Φ68*48mm Φ68*58mm Φ85*55mm Φ95*58mm	6W;8W 10W;12W 6W;8W;10W;12W 10W;12W	2700/3000/4000/5000K	P50
	ES2026 ES2027 ES2033 ES2039	Φ68*52mm Φ68*62mm Φ85*60mm Φ95*62mm	6W;8W 10W;12W 6W;8W;10W;12W 10W;12W	2700/3000/4000/5000K	P51
	ES2040 ES2041 ES2008	Φ85*67mm Φ85*67mm Φ80*43mm	10W;12W 10W;12W 10W~12W	2700/3000/4000/5000K	P53

# CONTENTS

MODEL	SIZE	POWER	CCT	PAGE
ES2043	Φ68*44mm	5W	2700/3000/4000/5000K	P58
ES2009	Φ95*52mm	10W		
ES2042	Φ68*54mm	12W		





## DESERT BEAM SERIES **NEW** P59~

MODEL	SIZE	POWER	CCT	PAGE
ES2001	Φ75*70mm	10W	2700/3000/4000/5000K	P60
ES2002	Φ90*75mm	12W		
ES2003	75*75*70mm	10W	2700/3000/4000/5000K	P60
ES2004	90*90*75mm	12W		



## TRIOFORM SERIES **NEW** P61~

MODEL	SIZE	POWER	CCT	PAGE
ES2051	85*85*75mm	15W	2700/3000/4000/5000K	P63
ES2052	Φ85*75mm			
ES2053	Φ110*75mm			
ES2051-1	85*85*75mm	15W	2700/3000/4000/5000K	P64
ES2052-1	Φ85*75mm			
ES2053-1	Φ110*75mm			



## AURASPACE SERIES **NEW** P65~

MODEL	SIZE	POWER	CCT	PAGE
ES2005	82*82*71mm	7W ~ 12W	2700/3000/4000/5000K	P66
ES2005-1				
ES2006	Φ82*71mm			
ES2006-1				



# CONTENTS

## OPTI-SHIELD SERIES **NEW** P67~

MODEL	SIZE	POWER	CCT	PAGE
ES2007	Φ85*70mm	10W	2700/3000/4000/5000K	P68
ES2007-1		12W		




## AQUALITE SERIES **NEW** P69~

MODEL	SIZE	POWER	CCT	PAGE
ES2049	Φ80*60mm	5W~9W	2700/3000/3500/4000/5000K	P70




## MEGA SERIES **NEW** P71~

MODEL	SIZE	POWER	CCT	PAGE
ES3001	Φ75*64mm	6W;10W;15W	2700/3000/4000/5000K	P73
ES3002	Φ75*58mm			
ES3003	Φ75*64mm			
ES3004	Φ102*60mm	6W;10W;15W	2700/3000/4000/5000K	P76
ES3005	Φ132*66mm			
ES3006	Φ95*61mm	12W	2700/3000/4000/5000K	P76
ES3007	Φ95*56mm			
ES3008	Φ102*61mm			



## LUMATONE SERIES **NEW** P81~

MODEL	SIZE	POWER	CCT	PAGE
ES4001	Φ83*78mm	8W;10W;12W	2700/3000/4000/5000K	P83
ES4002	Φ85*75mm			
ES4003	Φ83*60mm	10W ~ 12W	2700/3000/4000/5000K	P84
ES4004	Φ120*75mm			
ES4005	130*82.5*75mm			
ES4006	Φ120*60			



# CONTENTS

## SNAPLUX SERIES **NEW**

P85~

	MODEL	SIZE	POWER	CCT	PAGE
	ES5001	Φ85*80mm	8W	2700/3000/4000K	P90
			10W	2700/3000/4000K	
			15W	2700/3000/4000/5000K	

## STAR SERIES

P91~

	MODEL	SIZE	POWER	CCT	PAGE
	ES5008-1	Φ83*92mm	10W~15W	2700~6500K	P94
	ES5008-2				
	ES5002	Φ62*89mm	6W~8W	2700~6500K	P95
	ES5008	Φ83*92mm	10W~15W		
	ES5014	Φ105*124.5mm	20W~24W		
	ES5003	Φ70*89mm	6W~8W	2700~6500K	P96
	ES5009	Φ95*92mm	10W~15W		
	ES5015	Φ120*124.5mm	20W~24W		
	ES5004	62*62*89mm	6W~8W	2700~6500K	P97
	ES5010	82*82*92mm	10W~15W		
	ES5016	102.5*102.5*124.5mm	20W~24W		
	ES5005	70*70*89mm	6W~8W	2700~6500K	P98
	ES5011	98*98*92mm	10W~15W		
	ES5017	120*120*124.5mm	20W~24W		
	ES5006	115.5*62*89mm	2*6W~8W	2700~6500K	P99
	ES5012	158*86*92mm	2*10W~15W		
	ES5018	197.5*106.5*124.5mm	2*20W~24W		
	ES5007	164.5*52*89mm	2*6W~8W	2700~6500K	P100
	ES5013	204.5*72*92mm	2*10W~15W		
	ES5019	241.5*90.5*124.5mm	2*20W~24W		

# CONTENTS

## VIVIDMIRROR SERIES **NEW**

P101~

	MODEL	SIZE	POWER	CCT	PAGE
	ES5020	Φ62*79mm	9W	2700 ~ 6500K	P104
	ES5021	Φ83*79mm	13W		
	ES5022	Φ84.5*79mm	9W	2700 ~ 6500K	P104
	ES5023	Φ108*78mm	13W		

## LUMAEDGE SERIES

P105~

	MODEL	SIZE	POWER	CCT	PAGE
	ES6001	Φ60*85mm	9W	2700/3000/4000/5000K	P111
	ES6001-1				
	ES6002	Φ86*85mm	9W	2700/3000/4000/5000K	P111
	ES6003	68*68*86.5mm	9W	2700/3000/4000/5000K	P112
	ES6004	135*68*86.5mm	2*9W		
	ES6005	200*68*86.5mm	3*9W		
	ES6006	138*60*86.5mm	9W	2700/3000/4000/5000K	P113
	ES6007	205*60*86.5mm	2*9W		
	ES6008	270*60*86.5mm	3*9W		
	ES6009	Φ82*85mm	13W	2700/3000/4000/5000K	P114
	ES6010				
	ES6011	Φ133*85mm	13W	2700/3000/4000/5000K	P114
	ES6012	85*85*86.5mm	13W	2700/3000/4000/5000K	P115
	ES6013	160*85*86.5mm	2*13W		
	ES6014	130*85*86.5mm	13W	2700/3000/4000/5000K	P115
	ES6015	205*85*86.5mm	2*13W		
	ES6016	Φ105*110mm	25W	2700/3000/4000/5000K	P116
	ES6017	Φ128*115mm	25W	2700/3000/4000/5000K	P116

# CONTENTS

## THE AIGE SERIES

P117~

	MODEL	SIZE	POWER	CCT	PAGE
	ES6018 ES6018-1	Φ82*83.5mm	7W(SMD);12W(COB) 15W(COB)	2700~6500K	P123
	ES6019 ES6019-1	Φ82*80mm	7W(SMD);12W(COB) 21W(COB)	2700~6500K	P124
	ES6020	Φ82*84.5mm	12W(COB)	2700~6500K	P124
	ES6020-1	Φ82*60mm	7W(COB)	2700~6500K	P125
	ES6021 ES6021-1	Φ82*90mm Φ82*93.5mm	15W(COB) 18W(COB)	2700~6500K	P125

## LED DOWNLIGHT MODULE SERIES **NEW**


P127~

	MODEL	SIZE	POWER	CCT	PAGE
	ES7001	Φ49.8*40mm	8W	2700/3000/4000/5000K	P131
	ES7002	Φ49.8*48mm			
	ES7003	Φ49.8*45mm			
	ES7004	Φ49.8*62mm	15W	2700/3000/4000/5000K	P132
	ES7005	Φ49.8*75mm			
	ES7006	Φ49.8*70mm			
	ES7016 ES7017	Φ49.8*55mm Φ49.8*54.7mm	5W~9W 12W~15W	2700/3000/4000/5000K	P134
	ES7012 ES7013 ES7014 ES7015	Φ82*85mm	15W	2700/3000/4000/5000K	P142

# CONTENTS


## MAGSENSE SERIES

P145~

	MODEL	SIZE	POWER	CCT	PAGE
	ES8003	Φ85*44mm	6W	2700-3000-4000-5700K	P148
	ES8006 ES8007 ES8008 ES8009	Φ85*32mm Φ87*39mm Φ90*34mm Φ89*68mm	5W ~ 7W	2700-3000-4000-5700K	P149
	ES8010	Φ55*38mm	4W	2700-3000-4000-5700K	P150
	ES8011	Φ75*30mm	5W	2700-3000-4000 3000-4000-5700K	P150
	ES8012	Φ87*50mm	4W;6W;8W	2700-3000-4000-5700K	P150
	ES8013	Φ88*65mm	8W	2700-3000-4000 3000-4000-5700K	P150

## FLEXGLOW SERIES

P151~

	MODEL	SIZE	POWER	CCT	PAGE
	ES8001 ES8002	Φ86*38mm	4W;6W;8W	2700-3000-4000-5700K	P152
	ES8004 ES8005	Φ90*51mm Φ90*54mm	5W~8W 4W;6W;8W	2700-3000-4000-5700K	P152

## AURORA SERIES **NEW**

P153~

	MODEL	SIZE	POWER	CCT	PAGE
	ES9011	Φ82*28mm	6W	2700/3000/4000K 1800 ~ 3000K 2700 ~ 6500K	P154

# CONTENTS

## STARDIAN SERIES **NEW**

P155~

	MODEL	SIZE	POWER	CCT	PAGE
	ES9001	Φ62*79mm	5W~9W		P157
	ES9002	Φ82*80mm	10W~12W	2700/3000/3500/4000/5000K	
	ES9003	Φ82*100mm	15W~18W		
	ES9001	Φ80*78.5mm	5W~9W		P158
	ES9002	Φ100*80mm	10W~12W	2700/3000/3500/4000/5000K	
	ES9003	Φ100*100mm	15W~18W		

## HIGH PERFORMANCE SERIES

P159~

	MODEL	SIZE	POWER	CCT	PAGE
	ES9004	Φ72*75mm	10W		P161
	ES9005	Φ78*80mm	12W		
	ES9006	Φ82*85mm	15W		
	ES9007	Φ103*100mm	20W	2700/3000/4000/5000K	
	ES9008	Φ108*110mm	25W		
	ES9009	Φ120*120mm	35W		
	ES9010	Φ130*130mm	45W		

## PREMIUM SERIES **IP65**

P163~

	MODEL	SIZE	POWER	CCT	PAGE
	ED2001	Φ80*48mm	9W		P167
	ED2002	Φ115*60mm	15W		
	ED2003	Φ160*75mm	20W	2700/3000/4000/5000K	
	ED2004	Φ218*98mm	40W		
	ED2005	Φ215*108mm	60W		
	ED2001-1	Φ100*95mm	9W		P169
	ED2002-1	Φ120*95mm	15W		
	ED2003-1	Φ164*115mm	20W	2700/3000/4000/5000K	
	ED2004-1	Φ215*98mm	40W		
	ED2005-1	Φ215*108mm	60W		
	ED1006	Φ115*60mm	15W		P173
	ED1007	Φ136*70mm	25W		
	ED1008	Φ162*80mm	35W	3000/4000/5000K	
	ED1009	Φ195*95mm	40W		
	ED1010	Φ220*102mm	50W		

# CONTENTS

## SMD DOWNLIGHT SERIES

P175~

	MODEL	SIZE	POWER	CCT	PAGE
	ED2006	Φ90*48mm	7W		P179
	ED2007	Φ120*53mm	10W		
	ED2008	Φ160*56mm	15W	3000/4000/5700K	
	ED2009	Φ220*58mm	24W		
	ED2010	Φ220*58mm	36W		
	ED2011	Φ190*75mm		2700-3000-4000	P183
	ED2012	Φ230*90mm	15W;20W;30W	3000-4000-5700K	
	ED2013	Φ285*110mm			
	ED2014	Φ305*110mm			
	ED2015	Φ190*120mm		2700-3000-4000	P184
	ED2016	Φ230*136mm	40W;50W;60W	3000-4000-5700K	
	ED2017	Φ285*155mm			
	ED2018	Φ305*155mm			
	ED2001	Φ64*33mm	5W		P185
	ED2002	Φ83*45mm	7W		
	ED2003	Φ105*53mm	12W	3000/4000/6000K	
	ED2004	Φ128*66mm	18W		
	ED2005	Φ175*74mm	24W		

## ASTRAFLARE SERIES **NEW**

P187~

	MODEL	SIZE	POWER	CCT	PAGE
	ED3001	108*32mm	6W;8W		P188
	ED3001-1	108*36mm	10W;12W	2700/3000/4000K	
	ED3002	108*32mm	6W;8W		
	ED3002-1	108*36mm	10W;12W		

## FLEXLITE SERIES **NEW**

P189~

	MODEL	SIZE	POWER	CCT	PAGE
	ED4001	Φ170*55mm	16W	2700/3000/4000K	P191
	ED4002	Φ220*65mm	26W		
	ED4003	Φ176*65mm	10W;12W;15W	2700/3000/4000K	P192
	ED4004	Φ225*80mm	25W;30W;35W		

# CONTENTS

## ROUNDGLOW SERIES **NEW** P193~



MODEL	SIZE	POWER	CCT	PAGE
EC1001	Φ55*55mm	6W	2700/3000/4000/5000K	P194

## EDGEBOX SERIES **NEW** P195~



MODEL	SIZE	POWER	CCT	PAGE
EC2001	74*74*90mm	15W	2700/3000/4000/5000K	P198
EC2002	92*92*100mm	25W		
EC2003	113*113*120mm	35W		
EC2004	130*130*140mm	45W		

## HALOLITE SERIES **NEW** P199~



MODEL	SIZE	POWER	CCT	PAGE
EC2005	220*53mm	18W	3000/4000/5000K	P201
EC2007	280*53mm	24W		
EC2009	330*53mm	36W		



MODEL	SIZE	POWER	CCT	PAGE
EC2006	220*220*53mm	18W	3000/4000/5000K	P202
EC2008	280*280*53mm	24W		
EC2010	330*330*53mm	36W		



MODEL	SIZE	POWER	CCT	PAGE
EC2011	Φ120*40mm	4W;6W;8W	2700/3000/4000/5700K	P203
EC2012	Φ170*40mm	9W;12W;15W		
EC2013	Φ225*40mm	18W;21W;24W		




MODEL	SIZE	POWER	CCT	PAGE
EC2014	Φ280*48mm	13W;18W;24W	2700-3000-4000/	P204
EC2015			3000-4000-5700K	
EC2016				

## VARIO SPOT SERIES **NEW** P205~



MODEL	SIZE	POWER	CCT	PAGE
ET1001	Φ65*40*200mm	15W	2700/3000/4000/K	P206



MODEL	SIZE	POWER	CCT	PAGE
ET1003	Φ45*115mm	9W	2700K	P206


# CONTENTS

## OPTIMO TION SERIES **NEW** P207~



MODEL	SIZE	POWER	CCT	PAGE
ET1002	Φ58*115mm	14W	2700/3000/4000/5000K	P208

## GUIDE FOCUSING SERIES P209~



MODEL	SIZE	POWER	CCT	PAGE
ET2021	Φ68*140mm	20W	2700/3000/3500/4000K	P212
ET2022	Φ80*162mm	25W		
ET2022-1	Φ80*162mm	30W		



MODEL	SIZE	POWER	CCT	PAGE
ET2002	Φ68*140mm	15W	2700/3000/4000/5000K	P213
ET2003	Φ80*155mm	20W		
ET2004	Φ80*162mm	30W		
ET2005	Φ80*162mm	35W		

## ZOOMABLE TRACK SPOT LIGHTS SERIES **NEW** P215~



MODEL	SIZE	POWER	CCT	PAGE
ET3005S	Φ72*171mm	15W	2700/3000/4000/5000K	P219
ET3006S	Φ72*171mm	20W		
ET3007S	Φ80*175mm	30W		
ET3008S	Φ80*175mm	35W		
ET3005CCT	Φ72*171mm	15W	1800~4000K	P220
ET3006CCT	Φ72*171mm	20W	3000~4000K	
ET3007CCT	Φ80*175mm	30W	2700~6500K	
ET3008CCT	Φ80*175mm	35W		

# CONTENTS

## SHOP TRACK SPOT LIGHTS SERIES

P221~

	MODEL	SIZE	POWER	CCT	PAGE
	ET4001	Φ50*135mm	8W	3000/4000K	P223
	ET4002	Φ50*160mm	12W		
	ET4003	Φ60*163mm	15W		
	ET4004	Φ45*120mm	10W	3000/4000K	P225
	ET4005	Φ55*145mm	20W		
	ET4007	Φ65*165mm	30W		
	ET4008	Φ75*180mm	40W		
	ET4009	Φ67*165mm	20W	3000/4000K	P226
	ET4010	Φ80*195mm	30W		
	ET4011	Φ95*103mm	40W		
	ET4012	Φ50*120mm	10W	3000/4000/5000K	P227
	ET4014	Φ60*155mm	20W		
	ET4016	Φ66*155mm	25W		
	ET4013	Φ50*120mm	10W	2700 ~ 4000 ~ 5000K	P228
	ET4015	Φ60*155mm	20W		
	ET4017	Φ66*155mm	25W		
	ET4018	Φ58*152mm	15W	3000/4000K	P229
	ET4019	Φ74*183mm	25W		
	ET4020	Φ85*203mm	35W		
	ET4021	Φ40*117mm	10W	2700/3000/4000/5000K	P230
	ET4022	Φ60*150mm	20W		
	ET4023	Φ70*165mm	30W		

## MUZIMUM TRACK SPOT LIGHTS SERIES NEW

P231~

	MODEL	SIZE	POWER	CCT	PAGE
	ET5001	115*131*60mm	7W	2300/2700/3000/4000/5000/6000K	P236
	ET5002	125*138*60mm	10W		
	ET5003	153.5*156*70mm	20W		
	ET5004	191*177*90mm	30W		
	ET5005	215*197*110mm	40W		

# CONTENTS

## REMOTE BEAM SERIES

P247~


	MODEL	SIZE	POWER	CCT	PAGE
	ET5006	105*217.8*83.7mm	25W	2700 ~ 6000K	P239
	ET5006-1		35W		
	ET5007	150*252mm	20W	2700/3000/3500/4000K	P240
	ET5008		30W		
	ET5009	150*252mm	20W	2700 ~ 6000K	P241
	ET5010		30W		
	ET5011	168*205mm	20W	2700/3000/3500/4000K	P242
	ET5012		30W		
	ET5013		45W		
	ET5014	172*245mm	20W	2700 ~ 6000K	P243
	ET5015		30W		
	ET5016		40W		
	ET5017	155*245mm	12W	2700/3000/3500/4000K	P244
	ET5018		20W		
	ET5019		20W		
	ET5020	210*255mm	20W	2700/3000/3500/4000K	P245
	ET5021		30W		
	ET5022		45W		
	ET5023	210*268mm	20W	2700 ~ 6000K	P246
	ET5024		30W		
	ET5025		40W		

## REMOTE BEAM SERIES

P247~

	MODEL	CUTOUT	POWER	CCT	PAGE
	ET6001	Φ180mm	20W	2700 ~ 6000K	P250
	ET6002		30W		
	ET6003	Φ180mm	20W	2700/3000/3500/4000K	P251
	ET6004		30W		
	ET6005	Φ150mm	12W	2700/3000/3500/4000K	P252
	ET6006		20W		
	ET6007	Φ130mm	12W	2700/3000/3500/4000K	P253
	ET6008		20W		
	ET6009	Φ205mm	45W	2700/3000/3500/4000K	P254
	ET6010			2700 ~ 6000K	

# CONTENTS



MODEL	SIZE	POWER	CCT	PAGE
ET6011 ET6012	Φ150mm	12W 20W	2700/3000/3500/4000K	P255
ET6013 ET6014	Φ130mm	12W 20W	2700/3000/3500/4000K	P256

## CLASSA SERIES

P257~



MODEL	SIZE	POWER	CCT	PAGE
ELD1023 ELD1024 ELD1025	46*46*52mm 69*46*52mm 96*46*52mm	3W 2*2W 3*2W	3000/4000/5000K	P259
ELD1026 ELD1027 ELD1028	76*76*52mm 148*46*52mm 106*106*52mm	4*2W 5*2W 9*2W	3000/4000/5000K	P260
ELD1029 ELD1030	285*46*52mm 417*46*52mm	10*2W 15*2W	3000/4000/5000K	P261



ELD1074 ELD1075 ELD1076	61.9*61.9*55mm 152.4*62.4*55mm 287.4*62.4*55mm	5W 15W 30W	3000/4000/5000K	P262
-------------------------------	------------------------------------------------------	------------------	-----------------	------



ELD1085 ELD1086 ELD1087	85.6*53*60.3mm 142.8*85.6*60.3mm 278.2*85.6*60.3mm	15W 30W 30W	3000/4000/5000K	P263
-------------------------------	----------------------------------------------------------	-------------------	-----------------	------

## AQUAGLOW SERIES NEW

P265~



MODEL	SIZE	POWER	PAGE
EML1001/2/3 EML1004/5/6 EML1005/8/9 EML1010/11/12	400*120*120mm;600*120*120mm;800*120*120mm 400*105*40mm;600*105*40mm;900*105*40mm 410*220*50mm;610*220*50mm;810*220*50mm 400*160*75mm;500*160*75mm;600*220*50mm	12W;16W;24W 6W;12W;16W 8W;12W 6W;8W;12W	P267



EML1013/14 EML1015 EML1016/17/18 EML1019	620*50*150mm;830*50*150mm 530*145*40mm 420*60*40mm;665*60*40mm;965*60*40mm 704*80*130mm;960*80*130mm	12W;20W 8W 12W;18W;24W 24W;36W	P268
---------------------------------------------------	---------------------------------------------------------------------------------------------------------------	-----------------------------------------	------





## mini spot lights

The overall shape is small, the minimum opening size is only 3.5CM, and the miniaturized lamps realize better dot matrix effect for the space without main lamp



## Application

mini products can meet the solutions of different scenarios such as home spaces, art spaces, shopping malls, brand stores, office spaces, restaurants, bars, and hotel clubs



# A VARIETY OF COLOR REFLECTIVE CUP OPTIONS

# SNAPLUX SERIES

ENGINEERING-GRADE,  
QUICK-MOUNT LIGHTING  
SOLUTIONS FOR PROFESSIONAL  
INSTALLATIONS

UGR  
< 13

High Efficacy  
>120lm/w

8°

## Magnetic Design · Precise Beam · Ideal for Premium Spaces

Integrated anti-glare optics and magnetic reflectors for quick accessory changes. Delivers both consistent lighting and visual comfort.

## Integrated Waterproof Structure, Versatile Lighting for Any Space


IP65-rated for dust and water resistance. Perfect for bathrooms, balconies, kitchens, and other damp environments.

## Modular Quick-Release System for Efficient Installation

Supports fast disassembly and optical upgrades, saving time and labor. Ideal for large-scale installations and frequent-maintenance environments.




## customized color





**MULTIPLE COLOR  
OPTIONS TO MATCH  
YOUR PERSONAL STYLE.**


**ITEM NO:ES5020**



Wattage	9W
Type	Embedded
Efficacy	50-60lm/w
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ55mm
Size	Φ62*79mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°




**ITEM NO:ES5021**



Wattage	13W
Type	Embedded
Efficacy	50-60lm/w
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ75mm
Size	Φ83*79mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°




**ITEM NO:ES5022**



Wattage	9W
Type	Trimless recessed
Efficacy	50-60lm/w
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ55mm
Size	Φ84.5*79mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°



**ITEM NO:ES5023**



Wattage	13W
Type	Trimless recessed
CCT	2700 ~ 6500K
Input Voltage	AC220-240V
Cutout	Φ75mm
Size	Φ108*78mm
Beam declination	Towards mirrors: 35° ; Towards people: 15°




Feature



# ULTRA-THIN DESIGN




## SPLIT STRUCTURE





# DUAL LIGHT SOURCE CCT+RGB


## SPLIT STRUCTURE



**NEW**

# WHIRLWIND + ARROWHEAD PATTERN COMBINATION DESIGN

Wide range of design variants for a variety of applications



## SPLIT STRUCTURE



# MODULAR DESIGN WITH DIVERSE FACE RINGS, SHAPING PREMIUM LIGHTING AESTHETICS FREELY.




## NEW

LIGHT YOUR WAY WITH VARIOUS ANGLES

### ITEM NO:ES7016


LENS



Wattage	5~9W
CCT	2700/3000/4000/5000K
Input Voltage	AC220-240V
Efficacy	80lm/w
CRI	≥90
Cutout	Φ43.6mm
Size	Φ49.8*55mm
Beam Angle	15°/24°/36°/50°

### ITEM NO:ES7017

LENS



Wattage	12~15W
CCT	2700/3000/4000/5000K
Input Voltage	AC220-240V
Efficacy	80lm/w
CRI	≥90
Cutout	Φ63mm
Size	Φ49.8*54.7mm
Beam Angle	15°/24°/36°/50°

### Light Distribution for 3000K

#### Narrow 15°

H(m)	E(lx)	O(m)
1	1972	0.27
2	492.9	0.54
3	219.1	0.82
4	123.2	1.09
5	78.87	1.36

#### medium 24°


H(m)	E(lx)	O(m)
1	2268	0.49
2	567.1	0.98
3	252.0	1.48
4	141.8	1.97
5	90.73	2.46

#### Wide 36°

H(m)	E(lx)	O(m)
1	1516	0.60
2	379.1	1.21
3	168.5	1.81
4	102.9	2.42
5	60.65	3.02

### Feature






MODULE HEATSINK




FX-75 FIXED RING




75 ADJUSTABLE RING




75 HR ADJUSTABLE RING (PC)



75 HR ADJUSTABLE RING (Aluminum)



# CONFIGURATION ON DEMAND



# IP66

Waterproof & Antiglare COB downlights

## CAYENNE SERIES

Multiple power options available to precisely match various application needs, easily adapting to diverse lighting scenarios.

**9W/15W/20W/40W/60W**



DELIVERING PRECISION LIGHTING WITH ADJUSTABLE BEAM, TUNABLE COLOR, AND TIMELESS DESIGN — BUILT FOR FLEXIBILITY, PERFORMANCE, AND LASTING QUALITY.

**PRECISION CONTROL, PROFESSIONAL LIGHTING**

0-10V dimming for precise brightness control and effortless ambience.



# GUIDE FOCUSING SERIES



**ZOOMMABLE 15°~50°**

Free zoom lighting, versatile for every space.



**DIMMABLE**

A lamp controls the rhythm of morning and evening

**CCT CHANGEABLE**



- | 3000-4000k
- | 2700-3000k-4000k
- | 3000-4000k-5000k



Color temperature can be adjusted via DIP switch.

**CERTIFICATIONS**



UGR < 19

High Efficacy >125lm/w

5 years

IP20



# LED DIMMING, COLOR ADJUSTMENT, STEPLESS FOCUSING

## ■ Perfect Lighting for Art and Exhibitions

Illuminate art and history with precision. Our adjustable zoom track lights offer flexible beam angles, seamless dimming, and precise color control—creating the perfect ambiance for museums, galleries, and exhibitions. Every detail shines, allowing visitors to experience collections in their full brilliance.

